



# Java and C# in depth

Carlo A. Furia, Marco Piccioni, Bertrand Meyer

Java: exceptions  
and genericity



# Java and C# in depth

Carlo A. Furia, Marco Piccioni, Bertrand Meyer

## Exceptions

# Exceptions

---



Exceptions are objects

- Raise with a **throw** **ExceptionObject** instruction

```
throw new AnExceptionClass("ErrorInfo");
```

- **Checked exceptions**


Declared in method signature:

```
public void foo() throws SomeCheckedException
```

Must be handled explicitly

- provide an exception handler (with a **try/catch/finally** block)
- propagate the exception to the caller (with a **throws** declaration)
- **Unchecked exceptions**
  - May be handled, if desired
  - Unhandled exceptions terminate the current execution thread

# Exception class hierarchy



# Exception handlers

---



The scope of an exception handler is denoted by a **try** block

Every **try** block is immediately followed by zero or more **catch** blocks, zero or one **finally** block, or both. At least one of **catch** blocks and **finally** block is required (otherwise, what's the **try** for?)

```
public int foo(int b) {
    try { if ( b > 3 ) {
        throw new Exception();
    }
    } catch (Exception e) { b++; }
    finally { b++; }
    return b;
}
```

# Exception handlers: catch blocks



**catch** blocks can be exception-specific:

```
catch (ExceptionType name) { /* handler */ }
```

- Targets exceptions whose type conforms to **ExceptionType**
- **ExceptionType** must be a descendant of **Throwable**
- **name** behaves as a local variable inside the handler block
- A **catch** block of type **T** cannot follow a **catch** block of type **S** if  $T \leq S$  (otherwise the **T**-type block would be shadowed)

Multi **catch** blocks (introduced in Java 7):

```
catch (ET1 | ET2 | ET3 name) { /* handler */ }
```

- Targets exceptions whose type conforms to **ET1**, **ET2**, or **ET3**
- **ET1**, **ET2**, and **ET3** cannot be related by subclassing
- **name** behaves as a constant (**final**) inside the handler block

# Exception handlers: catch/finally blocks



When an exception of type **T** is thrown within a **try** block:

- control is transferred to the first (in textual order) **catch** block whose type **T** conforms to, if one exists
- then, the control is then transferred to the **finally** block (if it exists)
- finally, execution continues after the **try** block

When no conforming **catch** exists or an exception is re-thrown inside the handler:

- After executing the **finally** block, the exception propagates to the next available enclosing handler

When a **try** block terminates without exceptions:

- the control is transferred to the **finally** block (if it exists)
- then, execution continues after the **try** block

# Exception handlers: catch/finally blocks



A **finally** block is **always** executed after the **try** block even if no exceptions are thrown

- Typically used to free resources

```
// foo() returns 2 (!)
public int foo() {
    try { return 1; } finally { return 2; }
}
```

A control-flow breaking instruction (**return**, **break**, **continue**) inside a **finally** block terminates the propagation of exceptions.

```
// foo() returns 2 and propagates no exception
public int foo() {
    try {throw new Exception();} finally {return 2;}
}
```



# Exception handlers

---



A **catch** block may contain other **try** blocks

From within a **catch** block an exception can be re-thrown:

```
catch (Exception e) { if (...) {throw e;} ...}
```

Exceptions that propagate to the **main** method without being handled force termination of the program (typically, showing a trace of the call stack).

# Catch, handle, and re-throw: example

---



A method

```
int readNum(String fn, int n)
```

tries to read an **n**-digit integer from file with name **fn**.

Exceptions handle things that may go wrong:

- a file with name **s** doesn't exist
- the file cannot be opened
- the file doesn't encode an integer
- the integer has fewer than **n** digits

# Catch, handle, and re-throw: example



```
public int readNum(String fn, int n)
    throws TooFewDigitsException, FileNotFoundException,
           IOException {
    int res;    BufferedReader br = null;
    try {
        br = new BufferedReader(new FileReader(fn));
        String str = br.readLine();
        if (str.length() < n)
            throw new TooFewDigitsException(str.length());
        res = Integer.parseInt(str);
    }
    catch (FileNotFoundException e) { throw e; }
    catch (IOException e) { throw e; }
    catch (NumberFormatException e) { res = 0; }
    finally { if (br != null) br.close(); }
    return res;    }
```

# Catch, handle, and re-throw: example

---



Here's how a client may use `readNum`:

```
int readInt;
String aFileName;
try {
    readInt = n.readNum(aFileName, 5);
}
catch (TooFewDigitsException e) {
    try { readInt = n.readNum(FileName, e.numRead); }
    catch (Exception e) {System.out.println("Give up!");}
}
catch (Exception e) { System.out.println("IO error"); }
```

# Try with resources

---

Starting with Java 7, a **try** may also list some resources that are automatically closed after the block terminates (as with a **finally** block).

```
try (
    FileOutputStream out = new FileOutputStream("o.txt");
    FileInputStream in = new FileInputStream("i.txt");
) {
    // use out and in
} catch (IOException e) { /* Couldn't open files */ }
```

**catch** and **finally** are completely optional in try-with-resources blocks (but checked exceptions must still be caught or propagated).

A class must implement interface `java.lang.AutoCloseable` to be usable in a try-with-resources block.

- Basically, it needs a `close()` method

# Checked vs. unchecked exceptions

---



Checked exceptions are quite unique to Java

- C++ and C#, in particular, have only the equivalent of unchecked exceptions

**Which type of exception** should you use in your Java programs?

**Java orthodoxy**: checked exceptions should be the norm

Rationale for preferring checked exceptions:

- exceptions usually carry information the client of a class should be informed about
- a method throwing unchecked exceptions is similar to a method with undocumented behavior
- clients may run into all sorts of troubles if they receive unexpected exceptions

# Checked vs. unchecked exceptions

---



Disadvantages of using checked exceptions extensively:

- lots of exception handling code to write
  - lazy programmer's shortcut: empty **catch** blocks
- many **catch** blocks pollute code and decrease readability
- complex unwinding of the call stack to decide which exceptions to propagate and which to handle
- new exceptions change the interface of methods

# Checked vs. unchecked exceptions

---



How to **strike a balance**:

- As a norm, checked exceptions should **replace error codes** when the client should check the return code
- Use a checked exception if the caller can **do something sensible** with the exception
  - **useless with fatal errors whose causes are outside of the client's influence**
- **Document** the usage of unchecked exceptions
- Don't use exceptions (checked or unchecked) when you should use **assertions** (contracts)
  - **see examples in C# slides of this class**





# Java and C# in depth

Carlo A. Furia, Marco Piccioni, Bertrand Meyer

## Genericity in Java

Java's genericity mechanism, available since Java 5.0

Most common use:

- Use (and implement) generic type-safe containers

```
ArrayList<String> safeBox = new ArrayList<String>();
```

- Compile-time type-checking is enforced

More sophisticated uses:

- Custom generic classes and methods
- Bounded genericity (also called constrained genericity)

```
public <T extends Interface1 & Interface2> T test(T x)
```

# Generic classes

---



A **generic class** is a class parameterized w.r.t. one or more generic types.

```
public class Cell<T> {  
    private T val;  
    public T getVal() { return val; }  
    public void setVal(T v) { val = v; }  
}
```

To instantiate a generic class we must provide an actual type for the generic parameters.

```
Cell<String> c = new Cell<String>();
```

# Generic classes



The generic parameters of a generic class may constrain the valid actual types.

```
public class Cell<T extends S> { ... }
```

This is valid only if **X** is a subtype of **S**:

```
Cell<X> c = new Cell<X>();
```

The constrains may involve multiple types.

```
public class C<T extends String & Iterable>
```

This is valid only if **Y** is a subtype of both **String** and **Iterable**:

```
C<Y> c = new C<Y>();
```

# Genericity before generics



Before generics were available, using class `Object` was the way to achieve generic implementations.

```
public class OldCell {  
    private Object val;  
    public Object getVal() { return val; }  
    public void setVal(Object v) { val = v; }}
```

Requires explicit castings, with major problems:

- verbose code
- no compile-time checks

```
OldCell c = new OldCell();
```

```
c.setVal("A string"); // upcasting
```

```
String s = (String) c.getVal(); // downcasting
```

```
Car c = (Car) c.getVal(); // runtime error
```

# Diamond operators and raw types

---

When creating an instance of a generic class, the compiler is often able to infer the generic type from the context. In such cases, we can use the **diamond** operator.

```
Cell<String> c = new Cell<>();
```

is equivalent to:

```
Cell<String> c = new Cell<String>();
```

Generic classes can be instantiated as **raw types**, without providing any generic parameter. Raw types correspond to the old type-unsafe generic classes:

```
Cell c = new Cell();
```

```
c.setVal(12); // warning of unsafe behavior
```

```
Cell<String> c = new Cell();
```

```
// not equivalent to new Cell<>()!
```

# Generics: features and limitations

---



Generic classes are translated into ordinary classes by the compiler:

- Process called “type erasure”
- The generic type is replaced by `Object`
- Casts are added as needed, after checking that they are type-safe

Limitations of type erasure:

- Can't instantiate generic parameter with primitive types
  - but can use wrapper classes
- At runtime you cannot tell the difference between `ArrayList<Integer>` and `ArrayList<String>`
- Exception classes cannot be generic classes
- Can't create objects of the generic type
  - but can assign the value `null` to a variable of generic type
- Arrays with elements of a generic type parameter cannot be created
- A static member cannot reference a generic type parameter

# Generics and inheritance

---



Let  $S$  be a subtype of  $T$  (i.e.  $S \leq T$ )

There is no inheritance relation between:

**SomeGenericClass<S>** and **SomeGenericClass<T>**

In particular: the former is **not** a subtype of the latter

However, let **AClass** be a non-generic type:

- **T<AClass>** is a subtype of **T**
  - **T** denotes the **raw type** derived from the generic class **T**
- **S<AClass>** is a subtype of **T<AClass>**



# Why subtyping with generics is tricky



Consider a method of class **F**:

```
public static void foo(LinkedList<Vehicle> x) {  
    // add a Truck to the end of list 'x'  
    x.add(new Truck());  
}
```

If **LinkedList<Car>** were a subtype of **LinkedList<Vehicle>**, this would be valid code:

```
LinkedList<Vehicle> cars = new LinkedList<Car>();  
cars.add(new Car());  
F.foo(cars);
```

But now a **LinkedList<Car>** would contain a **Truck**, which is not a **Car**!

Give some polymorphic features to generics

Unbounded wildcards: **Collection<?>**

- “**Collection** of unknown(s)”
- It is a super-type of **Collection<T>**, for any class T
  - A method can read elements from a wildcard collection argument
  - Can assign elements of the collection to references of type **Object**
  - Cannot add new elements to the collection (see previous example)
  - But it can add new **null** entries
    - because **null** is a subtype of every other type



Bounded wildcards with upper bound:


`Collection<? extends X>`

- It is a super-type of `Collection<T>`, for any subclass `T` of `X`
  - A method can read elements from the wildcard collection argument
  - Can assign elements of the collection to references of type `X`
  - Cannot add new elements to the collection
  - But it can add new null entries
    - because `null` is a subtype of every other type

# Upper-bounded wildcards: example



Consider the following hierarchy of classes:



What should be the signature of a method **drawShapes** that takes a list of **Shape** objects and draws all of them?

- **drawShapes ( List<Shape> shapes )**
  - this doesn't work on a **List<Circle>**, which is not a subtype of **List<Shape>**
- **drawShapes ( List<? extends Shape> shapes )**
  - this works on **List<Shape>**, **List<Circle>**, and **List<Rectangle>**, but doesn't work on **List<Object>** (correctly, as drawing is not defined for something that may not be a **Shape**)

# Bounded wildcards



Bounded wildcards with lower bound:

**Collection**<? **super X**>

- It is a super-type of **Collection**<**T**>, for any superclass **T** of **X**
  - A method can add elements to the collection (i.e., through the wildcard collection argument)
  - Cannot assign elements of the collection to references of type **X**
  - But it can read elements and assign them to reference of type **Object**
    - because **Object** is a supertype of every other type

Lower bounds are often used for write-only resources such as log streams.

# Lower-bounded wildcards

---

Consider a class for a list, including a sort method:

```
class MySortedList <T> implements List
{
    ...
    void sort(Comparator <T> cmp) { ... }
    ...
}
```

- `MySortedList<String> sl =`  
     `new MySortedList<>();`  
`Comparator<String> mc = ...;`  
`Comparator<Object> oc = ...;`
- Valid call:           `sl.sort(mc);`
- Invalid call:         `sl.sort(oc);`
  - `Comparator<Object>` is incompatible with `Comparator<String>`
- Solution: use a lower-bounded wildcard in `sort`'s signature  
`void sort(Comparator <? super T> cmp)`



They are useful where wildcards fall short:  
adding elements to a generic collection

Example: a method that assigns the elements in an array to a generic collection

```
static void a2c(Object[] a, Collection<?> c) {  
    for (Object o : a) { c.add(o); /* Error */ } }
```

- We will know whether the type of `o`'s elements is compatible with the type of `c`'s elements only at runtime

# Generic methods

---



Example: a method that assigns the elements in an array to a generic collection

Generic methods come to the rescue (notice the position of the generic parameter):

```
static <G> void a2c(G[] a, Collection<G> c) {  
    for (G o : a) { c.add(o); /* OK */ } }
```

This is how client use the generic method.

```
String[] arr = {"Hello", "world", "!"};  
ArrayList<Object> lst = new ArrayList<>();  
a2c(arr, lst);
```

The actual generic parameter is inferred from context.



A classic example of separating interface from implementation

Some useful library interfaces from `java.util`:

- `Collection<E>`
  - `boolean add(E e1)`
    - returns whether the collection actually changed
  - `void clear()`
    - remove all elements in the collection
  - `Iterator<E> iterator()`
    - returns an iterator over the collection
- `Iterator<E>`
  - `E next()`
  - `void remove()`
    - removes the last element returned by the iterator


# Collections: some implementations

---



- ArrayList: indexed, dynamically growing
- LinkedList: ordered, efficient insertion and removal
- HashSet: unordered, rejects duplicates
- TreeSet: ordered, rejects duplicates
- HashMap: key/value associations
- TreeMap: key/value associations, sorted keys

# Java collections framework



**Figure 1** Collections Framework major interfaces

# Java collections framework




Figure 3 List category

# Java collections framework




Figure 4 Map category

# Java collections framework




Figure 2 Set category